

PORT OF BOSTON

EST 1884

Port of Boston Ltd, Boston
Lincolnshire PE21 6BN

Tel: 01205 365571

Email: harbourmaster@portofboston.co.uk

<http://www.victoriagroup.co.uk>

Dated: 05/10/2026

NOTICE TO MARINERS 030/2026

Race Bank Offshore Windfarm Export Cable Survey

Mariners are advised that Geo-4D, on behalf of Diamond Transmission Partners (DTC), will be undertaking survey work in the proximity of the Racebank Offshore Windfarm in The Wash, along the export cable from KP3 to KP28 for both export cables.

Survey works will include a single towed sensor and vessel mounted sonar. These survey requirements play a critical role in ensuring the ongoing maintenance and integrity of UK energy infrastructure. Mariners are advised to always maintain a safe distance of at least 500m from the survey vessel location.

The marine survey activities are scheduled to commence on **14.10.2026** with completion by **28.10.2026**.

See attached below Geo-4D NtM for more information.

This Notice will self-cancel on completion.

Harbour Master
Port of Boston Ltd

Notice to Mariners

Racebank OWF Export Cable Survey (OFTO)

Document No.: P2089-DC-L308

Client: Diamond Transmission



Geo-4D

Geo-4D Ltd
Unit 5 RAC Estate
Park Road
Faringdon
Oxfordshire
SN7 7BP

www.geo-4d.com
info@geo-4d.com
+44 (0)345 257 0877



1. DOCUMENT CONTROL

Revision	Date	Reason	Author	Approver	File
R0	01/10/2026	Initial issue	IC	IC	P2089-DC-L308

Distribution: Controlled documents are stored electronically on the company server.

2. INFORMATION

Mariners are advised that Geo-4D, on behalf of Diamond Transmission Partners (DTC), will be undertaking survey work in the proximity of the Racebank Offshore Windfarm in The Wash, along the export cable from KP3 to KP28 for both export cables.

Survey works will include a single towed sensor and vessel mounted sonar. These survey requirements play a critical role in ensuring the ongoing maintenance and integrity of UK energy infrastructure. Mariners are advised to always maintain a safe distance of at least 500m from the survey vessel location.

The marine survey activities are scheduled to commence on **14.10.2026** with completion by **28.10.2026**.




Figure 1: Racebank survey area, UK.

3. VESSEL

Vessel Argyll Explorer will be mobilised in Lowestoft and optimised for this survey and will be working on a 12-hour basis from The Wash between harbours of Wells next the Sea, Sutton Bridge and Kings Lynn. The vessel will display the appropriate day shapes and lights and will transmit an Automatic Identification System (AIS) message and navigate in accordance with COLREG (International Regulations for Preventing Collisions at Sea, 1972).

The vessel will sail line parallel to the cable routes and survey corridors and shall maintain a constant heading whilst survey sensors are under tow. The vessel will require a constant forward motion to be maintained.

Argyll Explorer:
 Call Sign: MEFU
 MMSI: 235057487
 LOA: 14
 Beam: 4.5m
 Draft: 1.2m



Figure 2: RS-Geo operated vessel, Argyll Explorer.

In the case of contact, the below individuals / organisations will be able to support queries.

Project Manager	Iain Cheyne Geo-4D iain.cheyne@RS-Geo.com
Vessel Contact (direct)	Argyll Explorer BC Marine survey@geo-4d.com

Table 1: Key Project Contacts

4. AREA OF OPERATION RACEBANK EXPORT CABLE

Table 2: Vessel operational area

Latitude WGS84 (DD.ddd)	WGS84 Longitude (DD.ddd)
52.84009	0.240661
52.84353	0.2411
52.8533	0.245583
52.8711	0.252358
52.87627	0.254172
52.88555	0.261491
52.90425	0.27712
52.92534	0.295414
52.93554	0.303929
52.94605	0.312512
52.95581	0.320981
52.96212	0.329253
52.97052	0.337234
52.98038	0.348347
52.98585	0.354451
52.99054	0.363988
52.99865	0.392971
53.00178	0.405994
53.0032	0.409707
53.02159	0.425789
53.02646	0.432191
53.02782	0.427784
53.02367	0.420956
53.01229	0.410567
53.00608	0.404662
52.99345	0.360508
52.98798	0.34978
52.97525	0.33488
52.96445	0.324242
52.95894	0.318642
52.95248	0.310546
52.93407	0.296188
52.90331	0.269022
52.88714	0.257026
52.87878	0.25
52.8687	0.245759
52.84893	0.237466
52.84049	0.234629
52.84049	0.234629
52.84009	0.240661